

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	12376	"380"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:52
L5	8562	4 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:53
L6	174	5 and ((logon or logg\$3 or (log adj (on or in))) same user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:02
L7	11	6 and (hash\$3 same (digital\$4 near1 sign\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:03
L8	90	5 and (hash\$3 same (digital\$4 near1 sign\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:36
L9	4	8 and ((plurality or multiple) with string)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:37
L10	332	5 and (hash\$3 same (digital\$4 near1 signature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:39
L11	353	8 or 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:39
L12	9	11 and ((plurality or multiple) with string)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:40

L13	768	4 and (authenticat\$3 and signature and (digital\$3 near1 sign\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:40
L14	40	13 and (hash\$3 near2 string)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:41
L15	37	14 and (key near2 sign\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:42
L16	19	15 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:42
L17	247	13 and (smart adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:45
L18	158	17 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:46
L19	32	18 and (hash\$3 same (digital\$4 near1 sign\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:46
L20	74	18 and (hash\$3 same (digital\$4 near1 signature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:47
L21	79	19 or 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:47
L22	2	21 and ((plurality or multiple) with string)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:48

L23	4	18 and ((generat\$3 near2 key) with (digital\$3 near1 sign\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:49
-----	---	--	---	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L25	23012	"713"/\$.ccis.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:54
L26	12388	25 and @ad<"20000914"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:54
L27	165	26 and (hash\$3 adj1 (data or information or document or string))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:55
L28	249	26 and (hash\$3 near1 (data or information or document or string))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:56
L29	191	28 and (digital\$3 near1 (sign\$3 or signature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:59
L30	108	29 and ((generat\$3 or comput\$3 or calculat\$3) near1 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:59
L31	65	30 and (encrypt\$3 near3 hash\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:00
L32	31	31 and ((smart adj card) or IC or (integrat\$3 adj circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:00
L33	25	32 and ((access\$3 or select\$4 or selectively or choos\$3 or chosen) near2 (data or string or document or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:01

L34	24	33 and ((plural\$3 or multiple or more or first or second or third) near2 (data or string or document or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:02
L35	24	33 and (authenticat\$3 or validat\$3 or verify\$3 or verificat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:10